



Ref. Certif. No.

US-18454-UL

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
ProduitName and address of the applicant  
Nom et adresse du demandeurName and address of the manufacturer  
Nom et adresse du fabricantName and address of the factory  
Nom et adresse de l'usineRatings and principal characteristics  
Valeurs nominales et caractéristiques principalesTrademark (if any)  
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeurModel / Type Ref.  
Ref. De typeAdditional information (if necessary may also be reported on page 2)  
Les informations complémentaires (si nécessaire,, peuvent être indiquées sur la 2<sup>ème</sup> page)A sample of the product was tested and found to be in conformity with  
Un échantillon de ce produit a été essayé et a été considéré conforme à laAs shown in the Test Report Ref. No. which forms part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce CertificatThis CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

Date: 2012-02-10

Signature:

- UL (US), 333 Pfingsten Rd IL 60082, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/cbnames](http://www.ul.com/cbnames)  
Jolanta M. Wroblewska



Ref. Certif. No.

US-18454-UL

## Model Details:

MINT1175AXXXYKZZ, MINT1175BXXXXKZZ Where XX represents the output voltage which may be any number from 12 to 56, YY represents output connector which may be any two alphanumeric digits, and ZZ represents non-safety related customer options and RoHS statements which may be any two alphanumeric digits.

## Ratings:

Input: 100-240V~, 50-60Hz, 3.0A

## Output:

With 200 LFM (linear feet per minute) forced air flow:

Main Output: 12Vdc/14.6A to 56Vdc/3.13A, Maximum 175W,

Fan Output: 12Vdc/0.4A

Without forced air flow:

Main Output: 12Vdc/10A to 56Vdc/2.15A, Maximum 120W,

Fan Output: 12Vdc/0.4A

## Additional information (if necessary)

## Information complémentaire (si nécessaire)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncb/names](http://www.ul.com/ncb/names)

Date: 2012-02-10

Signature:

Jolanta M. Wroblewska